


Maswell Fiberglass Antenna LORA/4G 860-930MHz

AN. 4G. 860. 930. FB-SMA



Mechanical Dimension



Maswell Fiberglass Antenna LORA/4G 860-930MHz

AN. 4G. 860. 930. FB-SMA


Specifications

Item		Specifications
Antenna	Frequency Range	860~930Mhz
	Polarization	Line
	Peak Gain	3dBi
	V.S.W.R	<2
	Impedance	50 Ohm
	Efficiency	>70%
	Dimension	200mm*13mmm
	Weight	25g
	Connector	SMA
	Radome Material	Fiberglass
	Antenna Color	Black
Environmental	Operating Temperature	-40℃~+85℃
	Storage Temperature	-40℃~+85℃
	Water Proof	YES
	Dust Proof	YES
	Anti-corrosion	YES
	Environmentally Friendly	ROHS Compliant

Maswell Fiberglass Antenna LORA/4G 860-930MHz

AN. 4G. 860. 930. FB-SMA


Measured Radiation Pattern



Maswell Fiberglass Antenna LORA/4G 860-930MHz

AN. 4G. 860. 930. FB-SMA

S11 Measured Results



Maswell Fiberglass Antenna LORA/4G 860-930MHz

AN. 4G. 860. 930. FB-SMA

VSWR Mesasured Results

